




REALIGNED 978

The Overview Collection provides a modern feel in high demand environments, bringing a perfect balance of color and texture that work seamlessly together. It's inspiration comes from nature's distressed effects on granite and aged stones offering visual warmth for an inviting interior.



Mineralite
558



Navy
579



Almond
831



Granite
848



Earthen
868



Stone
968



Charcoal
989

DIRECTIONS

Style Number	2B181
Construction	Tufted
Surface Appearance	Graphic Loop
Gauge	1/10" (39.37 rows per 10 cm)
Pile Weight	20
Density	5,714
Dye Method	100% Solution Dyed
Fiber Type	Colorstrand® SD Nylon
Stain Release Technology	Mohawk Protection Plus Stain
Soil Release Technology	Mohawk Protection Plus Soil
Primary Backing	Woven Polypropylene
Secondary Backing	Weldlok®
Indoor Air Quality	Green Label Plus Certified # 8216
NSF 140	Gold
Width	12' width (3.66m)
Pattern Repeat	1.2" (W) x 1.2" (L)
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Country of Origin	USA
Warranties	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Life Limited Colorfastness to Light Warranty 10 Year Limited Stain Resistance Warranty 10 Year Limited Colorfastness to Atmospheric Contaminants

REALIGNED

Style Number	2B180
Construction	Tufted
Surface Appearance	Graphic Loop
Gauge	1/10" (39.37 rows per 10 cm)
Pile Weight	21
Density	6,461
Dye Method	100% Solution Dyed
Fiber Type	Colorstrand® SD Nylon
Stain Release Technology	Mohawk Protection Plus Stain
Soil Release Technology	Mohawk Protection Plus Soil
Primary Backing	Woven Polypropylene
Secondary Backing	Weldlok®
Indoor Air Quality	Green Label Plus Certified # 8216
NSF 140	Gold
Width	12' width (3.66m)
Pattern Repeat	1.2" (W) x 0.8" (L)
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Country of Origin	USA
Warranties	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Life Limited Colorfastness to Light Warranty 10 Year Limited Stain Resistance Warranty 10 Year Limited Colorfastness to Atmospheric Contaminants